

EXO-C110

SCORPION
EXO

TECHMANUAL



EXO-C110 Performance Features

1 Premium Polycarbonate shell

Developed exclusively by Scorpion, our industry-leading polycarbonate shell is engineered to minimize weight and disperse impact.

2 SpeedView® SunVisor

Retractable interchangeable internal sun visor. Choose the up or down position with the flip of the switch.

3 KwikWick® 2 Liner Fabric

KwikWick® 2 anti-microbial fabric keeps you cool and dry in warm weather, warm in cool weather. Liner is easily removable and washable.

4 Aero-Tuned Ventilation


Two intake ports across the front of helmet force cool air in while two exhaust vents maximize movement of hot air out.

5 Low Profile Peak Visor

Designed to help block sun, the sleek low profile design minimizes wind resistance.

6 Ear Curtains

Ear Curtains provide coverage for ears during cold weather. Speaker pockets for easy install of communication device.



Introduction



Congratulations for acquiring a premium ScorpionExo® helmet. This helmet embodies the latest, state-of-the-art design, engineering and technology available in the market today and is an excellent investment for your comfort and protection.

Please remember that no helmet can protect you against all possible or foreseeable impacts even when built with the latest material and technology.

The following information will help you to enjoy and properly care for your helmet.

Function



A helmet's main function is to protect your head from impact in case of an accident. To accomplish this, a helmet surrounds your head with a matrix of materials designed to absorb and cushion impact energy in some accidents. A helmet is also designed to provide you with comfort while riding at speed and in various weather conditions. Yet, there is a trade-off: A helmet decreases hearing sensitivity, peripheral vision and physical movement to a certain extent while providing protection and comfort.

Fit



It is important for maximum safety that your ScorpionExo® helmet fit snugly and comfortably on your head with the retention strap (chinstrap) properly and snugly fastened. With the chinstrap firmly fastened, grab the back of the helmet with both hands and try to roll the helmet forward. If you can roll the helmet over the eyes, it is too loose and you should try another size helmet.

Internal Sunvisor



The retractable sunvisor on your ScorpionExo® helmet is designed to help protect your eyes from excessive sunlight, but may hinder visibility in dark conditions. Some ScorpionExo® models come equipped with a faceshield as standard. The internal sunvisor **may** not provide the same protection against weather conditions, flying objects, and wind as a faceshield. It is the rider's responsibility to obtain proper eye protection. Please review the instructions within this manual for proper use.

NEVER WEAR A DARK OR TINTED FACESHIELD IN DARK OR POOR VISIBILITY RIDING CONDITIONS. This is not only unsafe, but also illegal in most states.

NEVER WEAR A SUNVISOR THAT HAS BECOME SCRATCHED, OR RIDE WITH A FACESHIELD THAT IS FOGGED BY CONDENSATION.


Ventilation Systems




Ventilation systems are designed and engineered to maximize your comfort in a wide range of temperatures. Familiarize yourself with the vents on your street helmet. Some vents have detents allowing partial opening and closing, thereby controlling intake and exhaust airflow. Your helmet ventilation systems should be kept clear of any obstructions including dirt, insects or other items which could interfere with proper flow of air. The ventilation systems play an important role, especially during physical exertion or hot-weather riding.

SpeedView® Internal Sunvisor

USING THE SPEEDVIEW® INTERNAL SUNVISOR
THE RETRACTABLE INTERNAL SUNVISOR CAN BE LOWERED AND RETRACTED IN ONE TOUCH



Gently press up the internal sunvisor on the tab (located on the left-hand side of the helmet) until it clicks to lower the sunvisor.




Gently press up the internal sunvisor on the tab (located on the left-hand side of the helmet) until it clicks to retract in and lock sunvisor in place.




DO NOT ATTEMPT TO USE WHILE RIDING



Ear Curtain Install and Removal




Slide the chin strap through the Ear Curtain. Fully tuck in the extended pvc area in between the shell and eps. Reverse this order when removing cheek padding.




Make sure the Ear Padding is fully tucked into the helmet. Securely snap Main Snap and the Rear Snap to secure with chin strap. Do the same for opposite side. Reverse this order when removing cheek padding.


Liner Removal and Installment



Step 1
Tug gently with adequate force at the rear of the Liner until loosens.



Step 3
Tug gently at the frontal side, next to chin strap until loosens. Do this for the opposite side.



Step 2
Tug gently at the rear side, next to chin strap until loosens. Do this for the opposite side.





Step 4
Slightly lift and tug gently at the frontal side of the liner to unhook the liner plate.

-- Reverse above steps to install liner back into the helmet. --

Peak Visor Removal & Installment

REMOVAL AND INSTALLMENT OF OUTER PEAK VISOR



VISOR REMOVAL

Find the crew location which holds the visor in place. Unscrew to loosen the Visor

DO THIS FOR BOTH THE LEFT AND RIGHT SIDES.


VISOR INSTALLMENT

Align the visor hole with the visor hole on the helmet. Screw by turning the screw clock wise. Screw until the visor is firmly fixed.


**DO THIS FOR BOTH THE LEFT AND RIGHT SIDES.
MAKE SURE THAT IT IS SECURE BEFORE RIDING**

Removal of SpeedView® Sunvisor

REMOVAL of SpeedView® INTERNAL SUNVISOR for cleaning or Replacement




While holding the sunvisor with your other hand, depress the button on the side bracket, releasing the shield from the clasp.



Do the same to the opposite side of the sunvisor, thereby detaching it.

You may now clean the sunvisor, or replace it completely.




Unhook the sunvisor from the clasp, and remove it from the side bracket.

Securing and Wearing your Helmet

Do not simply pull your helmet down onto your head like a hat. Your ScorpionExo® helmet should be worn as follows: Using both hands grab the helmet's bottom rim while holding the chin straps with your thumbs. Then “roll” the helmet onto your head starting at the forehead. Continue rolling the helmet on towards the back of the head until it comes to rest with your head fully in contact with the inner lining.

HOW TO USE CHINSTRAP



FIRMLY AND SECURELY FASTEN YOUR CHINSTRAP.

Check your chinstrap for tightness occasionally as vibration or wind may loosen it.

Cleaning Your Helmet System

None of the components of your ScorpionExo® helmet can be damaged by water. All headliners and sweat-wicking cheek pads are machine washable. Wash them with a mild detergent in warm water and allow to air dry. Hand washing is recommended, but machine washing is also permitted. Use the “delicate” cycle to prevent the agitator from damaging the

sweat-wicking material covering the liner parts. Do not place lining parts in the dryer: Excess heat may damage the foam and coverings. The faceshield may be cleaned with plastic polish or mild soap and water. The shell of your helmet should be cleaned using only a mild detergent and water. NEVER USE PETROLEUM BASED CHEMICALS, SOLVENTS, GASOLINE, CLEANING AGENTS OR ADHESIVES to clean the shell, liners or faceshield of your helmet. Your helmet shell, liner and faceshield may be seriously damaged by the use of such products.

Warning



For your safety, it is important that you completely read the owner's manual and all warning labels. A helmet certified only to the DOT standard may not cover as much of the head as a helmet certified to Snell or ECE standards. It is the rider's responsibility to choose the helmet best for your intended use. This helmet does not provide as much head coverage as other helmets sold by ScorpionExo®. If you would like more coverage over your head, please try on our full face helmets and open face helmets.

DO NOT



DO NOT ride without snugly fastening your chinstrap.
DO NOT clean your helmet with petroleum products, solvents, benzene, thinner or cleaning agents.
DO NOT paint over your helmet's finish without totally protecting and isolating the shock-absorbing liner and plastic parts. Your warranty will otherwise be invalidated.
DO NOT drop your helmet from any height onto a hard surface. This could cause damage to your helmet's finished and/or decrease its ability to protect you.

DO NOT place your helmet on your motorcycle's rearview mirror: The sharp pressure from the mirror's edge will compress and damage the helmet's shock-absorbing liner.
DO NOT place your helmet on the motorcycle's seat or fuel tank. It can easily roll off and hit the ground causing damage to the helmet. It is best to place your helmet on the ground so it cannot fall in any direction.
DO NOT ride with a scratched faceshield. This can impair your vision, especially at night.
DO NOT modify any part of your helmet, e.g., drilling the shell or cutting and pressing the shock absorbing liner. Installation of sound systems, speakers and microphones reduces your helmet's ability to protect you and is not recommended.
DO NOT use the helmet again if it has either been dropped or involved in an accident. Replace it even if the damage is not visible to the naked eye.
DO NOT wear a dark or tinted faceshield (including the retractable SpeedView™ Sunvisor) in dark or poor visibility riding conditions.
DO NOT place your headliners and cheek pads in the dryer after washing. Allow them to air dry.
DO NOT attempt to remove, change or replace your faceshield while riding your motorcycle or ATV.
DO NOT use paint which requires heat curing.

Warranty



For on-line registration of your new ScorpionEXO helmet, please log onto www.scorpionusa.com/support/product-registration.html. Should you have a warranty claim, please call 888-212-0688 or email warranty@kidosportsusa.com during business hours (PST). Details of your ScorpionEXO warranty can be found online: www.scorpionusa.com/support/warranty-and-returns.html





Get stung!®

Kido Sports USA, LLC.
ScorpionEXO Warranty/Tech Center
10425 Slusher Drive
Santa Fe Springs, CA 90670.USA
T: 1.888.212.0688
E: warranty@kidosportsusa.com

Printed in China